NUMBER 2

Cover. Satellite detection of ice melt over the Arctic Ocean
Y.-S. Chung and H. Le 291

A spatial regression procedure for evaluating the relationship between AVHRR-NDVI and climate in the northern Great Plains
L. Ji and A. J. Peters 297

Hyperspectral indices for characterizing upland peat composition
J. M. McMorrow, M. E. J. Cutler, M. G. Evans and A. Al-Roichdi 313

Interannual variations of the grassland boundaries bordering the eastern edges of the Gobi Desert in central Asia
F. Yu, K. P. Price, J. Ellis, J. J. Feddema and P. Shi 327

Application of wavelet transform for extracting edges of paddy fields from remotely sensed images
T. Ishida, S. Itagaki, Y. Sasaki and H. Ando 347

Mapping rice field anopheline breeding habitats in Mali, West Africa, using Landsat ETM+ sensor data
M. A. Diuk-Wasser, M. Bagayoko, N. Sogoba, G. Dolo, M. B. Touré, S. F. Traoré and C. E. Taylor 359

Within-field wheat yield prediction from IKONOS data: a new matrix approach
E. A. Enclona, P. S. Thenkabail, D. Celis and J. Diekmann 377

Inter-sensor relationships between IKONOS and Landsat-7 ETM+ NDVI data in three ecoregions of Africa
P. S. Thenkabail 389

Statistical comparison of MISR, ETM+ and MODIS land surface reflectance and albedo products of the BARC land validation core site, USA
H. Fang, S. Liang, M. Chen, C. Walthall and C. Daughtry 409

Evaluation of the runoff potential in high relief semi-arid regions using remote sensing data: application to Bolivia
T. Ouattara, Q. H. J. Gwyn and J.-M. M. Dubois 423

Remote sensing research in biogeochemistry of the Hetai gold deposit, Guangdong Province, China
R. Xu and Y. Ma 437

Effectiveness of spectroscopy in identification of swelling indicator clay minerals
P. C. Kariuki, T. Woldai and F. van der Meer 455

Remote Sensing Letters

Evaluation of remote sensing-based active fire datasets in Indonesia
F. Stolle, R. A. Dennis, I. Kurniwan and E. F. Lambin 471

Unsupervised classification of hyperspectral data: an ICA mixture model based approach
C. A. Shah, M. K. Arora and P. K. Varshney 481

Detecting sugarcane 'orange rust' disease using EO-1 Hyperion hyperspectral imagery
A. Apan, A. Held, S. Phinn and J. Markley 489

NUMBER 3

Cover 499

Technical note. Lineament detection on Mount Cameroon during the 1999 volcanic eruptions using Landsat ETM
E. E. Nama 501

Detection of lines, line junctions and line terminations
F. Deschênes, D. Ziou and M.-F. Auclair-Fortier 511

Application of stereoscopic satellite images for studying Quaternary tectonics in arid regions
B. Fu, A. Lin, K.-I. Kano, T. Maruyama and J. Guo 537

Active tectonics of the Eastern Himalayan foothills region and adjoining Brahmaputra Basin based on satellite images
J. D. Das 549

An artificial neural network approach for landslide hazard zonation in the Bhagirathi (Ganga) Valley, Himalayas
M. K. Arora, A. S. Das Gupta and R. P. Gupta 559

Monitoring desertification and land degradation over sub-Saharan Africa
E. Symeonakis and N. Drake 573
Mapping coal fires based on OMIS1 thermal infrared band image
Y. Wan, W. Deng and Y. Yan 593
Mapping the aerodynamic roughness length of desert surfaces from the POLDER/ADEOS bi-directional reflectance product
B. Marticorena, P. Chazette, G. Bergametti, F. Dulac and M. Legrand 603
Response of reflectance to dielectric properties of bare tills
M. Middleton, A. Teirilä and R. Sutinen 627
Analysis of VNIR (400–1100 nm) spectral signatures for estimation of soil organic matter in tropical soils of Thailand
K. W. Daniel, N. K. Tripathi, K. Honda and E. Apisit 643
Scanning, compression and land cover classification of astronaut-acquired orbital photographs
E. L. Webb, J. A. Robinson and M. A. Evangelista 653
Technical note. An evaluation of interpolation methods for Mars Orbiter Laser Altimeter (MOLA) data
O. Abramov and A. McEwen 669

NUMBER 4

Cover 677
Technique of large-scale soil mapping in basaltic terrain using satellite remote sensing data
R. Srivastava and R. K. Saxena 679
An assessment of Landsat TM band 6 thermal data for analysing land cover in tropical dry forest regions
J. Southworth 689
Prospects for quantifying structure, floristic composition and species richness of tropical forests
T. W. Gillespie, J. Brock and C. W. Wright 707
Improving tropical forest mapping using multi-date Landsat TM data and pre-classification image smoothing
C. Tottrup 717
Detection of deforestation and land conversion in Rondo nia, Brazil using change detection techniques
L. S. Guild, W. B. Cohen and J. B. Kauffman 731
Classification of forest volume resources using ERS tandem coherence and JERS backscatter data
K. J. Tansey, A. J. Luckman, L. Skinner, H. Balzter, T. Strozzi and W. Wagner 751
Carbon mass fluxes of forests in Belgium determined with low resolution optical sensors
F. Veroustraete, H. Sabbe, D. P. Rasse and L. Bertels 769
Detection and assessment of trees with *Phellinus weirii* (laminated root rot) using high resolution multi-spectral imagery
D. G. Leckie, C. Jay, F. A. Gougeon, R. N. Sturrock and D. Paradine 793
Estimating fragmentation effects on simulated forest net primary productivity derived from satellite imagery
N. C. Coops, J. D. White and N. A. Scott 819
Quantitative assessment of nitrogen fixation by forest vegetation using Landsat TM data
Y. F. Wei, T. Akiyama and S. Shinoda 839

Remote Sensing Letters
Geostatistical and texture analysis of airborne-acquired images used in forest classification
C. Zhang, S. E. Franklin and M. A. Wulder 859

NUMBER 5

Cover 867

Analysis of sea surface temperature time series of the south-eastern North Atlantic
R. Borges, A. HernaÇndez-Guerra and L. Nykjaer 869

A multispectral remote sensing study of coastal waters off Vancouver Island
S. Sathyendranath, T. Platt, B. Irwin, E. Horne, G. Borstad, V. Stuart, L. Payzant, H. Maass, P. Kepkay, W. K. W. Li, J. Spry and J. Gower 893

Prediction of ocean colour: Monte Carlo simulation applied to a virtual ecosystem based on the Lagrangian Ensemble method
C.-C. Liu and J. D. Woods 921

Automated extraction of coastline from satellite imagery by integrating Canny edge detection and locally adaptive thresholding methods
H. Liu and K. C. Jezek 937

Using Landsat 7 TM data acquired days after a flood event to delineate the maximum flood extent on a coastal floodplain
Y. Wang 959

The effect of orbit drift on the calibration of the 3.7 mm channel of the AVHRR onboard NOAA-14 and its impact on night-time sea surface temperature retrievals
C. Cao, J. Sullivan, E. Maturi and J. Sapper 975

Surveillance et cartographie des plans d'eau et des zones humides et inondables en régions arides avec l'instrument VEGETATION embarqué sur SPOT-4
V. Gond, E. Bartholomé, F. Ouattara, A. Nonguierma and L. Bado 987

Global structure of extreme wind and wave climate derived from TOPEX altimeter data
G. Chen, S.-W. Bi and R. Ezraty 1005

Γ-WMAP: a statistical speckle filter operating in the wavelet domain
S. Solbø and T. Eltoft 1019

Accuracy analysis of remote sensing change detection by rule-based rationality evaluation with post-classification comparison
H. Lui and Q. Zhou 1037

NUMBER 6

Cover 1051

Mount Hudson's 1991 eruption provides Holocene palaeoclimatic insights
L. E. Moxey 1053

Monitoring of urban growth of a desert city through remote sensing: Al-Ain, UAE, between 1976 and 2000
M. M. Yagoub 1063

Mapping residential density patterns using multi-temporal Landsat data and a decision-tree classifier
S. McCauley and S. J. Goetz 1077

Geometric correction accuracy of IRS-1D PAN Imagery using topographic map versus GPS control points
M. Turker and A. O. Gacemer 1095

Assessing the accuracy of land surface characteristics estimated from multi-angular remotely sensed data
N. Widen 1105

Retrieval of crop canopy properties: a comparison between model inversion from hyperspectral data and image classification
R. Casa and H. G. Jones 1119

Effect of sensor view angle on the assessment of agronomic traits by ground level hyper-spectral reflectance measurements in durum wheat under contrasting Mediterranean conditions
N. Aparicio, D. Villegas, C. Royo, J. Casadesus and J. L. Araus 1131

Pattern decomposition method for hyper-multi-spectral data analysis
M. Daigo, A. Ono, R. Urabe and N. Fujiwara 1153

Smoothing vegetation spectra with wavelets
K. S. Schmidt and A. K. Skidmore 1167

Tree model based eco-climatic vegetation classification and fuzzy mapping in diverse tropical deciduous ecosystems using multi-season NDVI
J. Krishnaswamy, M. C. Kiran and K. N. Ganeshaiah 1185
Automated interpretation of sub-pixel vegetation from IRS LISS-II images
J. K. Ghosh 1207
An analytical algorithm for the determination of vegetation Leaf Area Index from TRMM/TMI data
J. Wen and Z. Su 1223
A priori evaluation of two-stage cluster sampling for accuracy assessment of large-area land-cover maps
J. D. Wickham, S. V. Stehman, J. H. Smith, T. G. Wade and L. Yang 1235

NUMBER 7–8

Oceans from Space – Venice 2000

Cover 1255
Editor's Preface. Oceans from Space, again 1257
Internal wave study in the South China Sea using Synthetic Aperture Radar (SAR)
A. K. Liu and M. K. Hsu 1261
A sea surface fractal model for ocean remote sensing
F. Berizzi, E. Dalle Mese and M. Martorella 1265
A comparative assessment on the use of SAR and high-resolution optical images in ocean dynamics studies
D. A. Gagliardini and P. C. Colón 1271
Generation of internal solitary waves in the Sulu Sea and their refraction by bottom topography studied by ERS SAR imagery and a numerical model
K. Zeng and W. Alpers 1277
Observations of wind and ocean wave fields using ERS Synthetic Aperture Radar imagery
G. De Carolis, F. Parmiggiani and E. Arabini 1283
The EQUALANT99 experiment: *in situ* and satellite data for surface circulation in the tropical Atlantic
S. Arnault, G. Eldin, B. Bourlès, Y. Dupenhoat, Y. Gouriou, A. Aman, R. Chuchla, F. Gallois, E. Kestenare and F. Marin 1291
Characteristics of mid-latitude Rossby wave propagation from multiple satellite datasets
P. G. Challenor, P. Cipollini, D. Cromwell, K. L. Hill, G. D. Quartly and I. S. Robinson 1297
Altimeter observations of sea-level variability off the west coast of North America
J. Y. Cherniawsky, M. G. G. Foreman, W. R. Crawford and B. D. Beckley 1303
Modelling observed California Current mesoscale eddies and the ecosystem response
E. Di Lorenzo, A. J. Miller, D. J. Neilson, B. D. Cornuelle and J. R. Moisan 1307
A sensor to measure salinity in the open ocean from space
D. Le Vine, C. Koblinsky, F. Pellerano, G. Lagerloef, Y. Chao, S. Yueh and W. Wilson 1313
Development and applications of STARRS: a next generation airborne salinity imager
J. L. Miller and M. Goodberlet 1319
Interannual waves in the sea surface temperatures of the Pacific Ocean
P. Gloersen and N. Huang 1325
Using sea surface temperature measurements from microwave and infrared satellite measurements
C. J. Donlon, L. Nykjaer and C. Gentemann 1331
Space–time behaviour of the Angola–Benguela Frontal Zone during the Benguela Niño of April 1999
V. Mohrholz, M. Schmidt, J. R. E. Lutjeharms and H.-Ch. John 1337
Clean seas: a North Sea test site
H. M. Snaith, M. Gade, G. W. Jolly, A. Mangin, V. Barale, O. Rud and M. Ishii 1341
Atmospheric correction of Advanced Very High Resolution Radiometer imagery
MHD. S. Salama, J. Monbaliu and P. Coppin 1349
Surface current circulation estimation using NOAA/AVHRR images and comparison with HF radar current measurements
L. Alberotanza and A. Zandonella 1357

NUMBER 9

Cover 1545

Controls over intra-seasonal dynamics of AVHRR NDVI for the Arctic tundra in northern Alaska
G. J. Jia, H. E. Epstein and D. A. Walker 1547

Review Article. Digital change detection methods in ecosystem monitoring: a review
P. Coppin, I. Jonckheere, K. Nackaerts, B. Muys and E. Lambin 1565

Estimation of the global net primary productivity using NOAA images and meteorological data: changes between 1988 and 1993
Y. Awaya, E. Kodani, K. Tanaka, J. Liu, D. Zhuang and Y. Meng 1597

Analysis of NOAA-AVHRR-NDVI images for crops monitoring
R. Granados-Ramírez, T. Reyna-Trujillo, G. Gómez-Rodríguez and J. Soria-Ruiz 1615

Hurricane Georges and vegetation change in Puerto Rico using AVHRR satellite data
T. Ayala-Silva and Y. A. Twumasi 1629

Earth observation of vegetation status in the Sahelian and Sudanian West Africa: comparison of Terra MODIS and NOAA AVHRR satellite data
R. Fensholt 1641

Mapping leaf area index through spectral vegetation indices in a subtropical watershed
A. C. Xavier and C. A. Vettorazzi 1661

Technical Note. Accuracy of land cover area estimated from coarse spatial resolution images using an unmixing method
K. Oki, T. M. Uenishi, K. Omasa and M. Tamura 1673

Using artificial neural networks to map the spatial distribution of understorey bamboo from remote sensing data
M. Linderman, J. Liu, J. Qi, L. An, Z. Ouyang, J. Yang and Y. Tan 1685

Mapping subalpine forest types using networks of nearest neighbour classifiers
M. J. Collins, C. Dymond and E. A. Johnson 1701

An artificial neural network model for estimating crop yields using remotely sensed information
D. Jiang, X. Yang, N. Clinton and N. Wang 1723

Comparison of maximum likelihood classification method with supervised artificial neural network algorithms for land use activities
F. Sunar Erbek, C. Özkan and M. Taberner 1733

Opening the black box of neural networks for remote sensing image classification
F. Qiu and J. R. Jensen 1749

Remote Sensing Letters

VEGETATION L-band image processing system. Geometric performances and spatio-temporal stability
C. Carmona-Moreno 1769

Use of a prototype instrument to detect short-term changes in solar-excited leaf fluorescence
G. A. Carter, A. Freedman, P. L. Kebabian and H. E. Scott 1779

Tidal streams observed with sequential AVHRR images
I. J. Barton 1785

Errata 1791

NUMBER 10

Cover. Change detection across the Nasca pampa using spaceborne SAR interferometry
A. Lefort, M. Grippa, N. Walker, L. J. Stewart and I. H. Woodhouse 1799

Technical note: Observations of scatterometer asymmetry over sand seas and derivation of wind ripple orientation
L. Bateson and I. H. Woodhouse 1805

Use of SAR satellites for mapping zonation of vegetation communities in the Amazon floodplain
M. P. F. Costa 1817

Assessing the seasonal dynamics of the Brazilian Cerrado vegetation through the use of spectral vegetation indices
L. G. Ferreira and A. R. Huete 1837

Sun and view angle effects on NDVI determination of land cover types in the Brazilian Amazon region with hyperspectral data
L. S. Galvão, F. J. Ponzoni, J. C. N. Epiphanio, B. F. T. Rudorff and A. R. Formaggio 1861

Dynamic change of CO_2 flux over bare soil field and its relationship with remotely sensed surface temperature
Y. Inoue, A. Olioso and W. Choi 1881

Review article: Geometric processing of remote sensing images: models, algorithms and methods
T. Toutin 1893

Une nouvelle analyse multi-temporelle d'images satellitales, les résidus de l'Analyse en Composantes Principales. Un cas d'étude: une série d'images Landsat Thematic Mapper de la Camargue, France
T. Naizot, Y. Auda, A. Dervieux, J. Thioulouse et M. F. Bellan 1925

AVHRR-derived fire frequency, distribution and area burned in Siberia
A. J. Soja, A. I. Sukhinin, D. R. Cahoon Jr, H. H. Shugart and P. W. Stackhouse Jr 1939

Scaling net primary production to a MODIS footprint in support of Earth observing system product validation
D. P. Turner, S. Ollinger, M.-L. Smith, O. Krankina and M. Gregory 1961

Remote Sensing Letters

An improved neural network technique for data dimensionality reduction in remotely sensed imagery
M. J. Idrissi, A. Sbihi and R. Touahni 1981

A comparison between SAR data compression in Cartesian and polar coordinates
B. Gergič, P. Planinšič, B. Banjanin, D. Gleich and Ž. Čučej 1987

Estimating suspended sediment concentrations in turbid coastal waters of the Santa Barbara Channel with SeaWiFS
J. A. Warrick, L. A. K. Mertes, D. A. Siegel and C. Mackenzie 1995

Trends in night-time city lights and vegetation indices associated with urbanization within the conterminous USA
K. P. Gallo, C. D. Elvidge, L. Yang and B. C. Reed 2003

Book reviews 2009

NUMBER 11

Cover 2013

Early damaged area estimation system using DMSP-OLS night-time imagery
M. Kohiyama, H. Hayashi, N. Maki, M. Higashida, H. W. Kroehl, C. D. Elvidge and V. R. Hobson 2015

Probabilistic landslide hazard mapping using GIS and remote sensing data at Boun, Korea
S. Lee, J. Choi and K. Min 2037

Monitoring sandstorms and desertification in northern China using SSM/I data and Getis statistics
Y.-Q. Jin and F. Yan 2053

Investigation of C- and X-band backscattering signatures of Baltic Sea ice
M. Mäkynen and M. Hallikainen 2061

Noise over water surfaces in Landsat TM images
J. E. Nichol and V. Vohora 2087

Analysis of simultaneous chlorophyll measurements by lidar fluorosensor, MODIS and SeaWiFS
R. Barbini, F. Colao, L. De Dominicis, R. Fantoni, L. Fiorani, A. Palucci and E. S. Artamonov 2095

Variability of bio-optical properties at sampling stations and implications for remote sensing: a case study in the north-east Gulf of Mexico
C. Hu, B. Nababan, D. C. Biggs and F. E. Muller-Karger 2111

Analysis of four change detection algorithms in bi-temporal space with a case study
Y. Liu, S. Nishiyama and T. Yano 2121

New features observed in the 11-year solar cycle
C. A. Varotsos and A. P. Cracknell 2141

Daily global solar radiation mapping of Turkey using Meteosat satellite data
H. M. Kandirmaz, L. Yeğingil, V. Peştemalci and N. Emrahoğlu 2159

Evaluating the classification accuracy of fuzzy thematic maps with a simple parametric measure
C. Ricotta 2169

Examining the effect of spatial resolution and texture window size on classification accuracy: an urban environment case
D. Chen, D. A. Stow and P. Gong 2177

Night-time cloud cover estimation
F. Sospedra, V. Caselles, E. Valor, C. Di Bella, C. Coll and E. Rubio 2193

Book review 2207

Remote Sensing Letters

Space-borne high resolution fire remote sensing in Benin, West Africa
D. Oertel, B. Zhukov, H.-P. Thamm, J. Roehrig and B. Orthmann 2209

Generation and propagation of anticyclonic rings in the Gulf of Papagayo
D. Ballestero and J. E. Coen 2217

Comparison of airborne and satellite high spatial resolution data for the identification of individual trees with local maxima filtering
M. A. Wulder, J. C. White, K. O. Niemann and T. Nelson 2225

Locating a sunken vessel using SAR imagery: detection of oil spilled from the SS *Jacob Luckenbach*
D. Simecek-Beatty and P. Clemente-Colón 2233

NUMBER 12

Cover 2243

Giant's footprint
B. Rein and C. Passchier 2243

Capability evaluation of 3–5 μm and 8–12.5 μm airborne thermal data for underground coal-fire detection
X. Zhang, J. Zhang, C. Kuenzer, S. Voigt and W. Wagner 2245

Temporal analysis of forest structural condition at an acid mine site using multispectral digital camera imagery
P. Cosmopoulos and D. J. King 2259

Potential of using NOAA-AVHRR data for estimating irrigated area to help solve an inter-state water dispute
V. K. Boken, G. Hoogenboom, F. N. Kogan, J. E. Hook, D. L. Thomas and K. A. Harrison 2277

Analysis of phenological change patterns using 1982-2000 Advanced Very High Resolution Radiometer (AVHRR) data
R. Tateishi and M. Ebata 2287

Mapping micro-urban heat islands using NOAA/AVHRR images and CORINE Land Cover: an application to coastal cities of Greece
M. Stathopoulou, C. Cartalis and I. Keramitsoglou 2301

Reducing signature variability in unmixing coastal marsh Thematic Mapper scenes using spectral indices
A. S. Rogers and M. S. Kearney 2317

Thematic labelling from hyperspectral remotely sensed imagery: trade-offs in image properties
G. M. Foody, I. M. J. Sargent, P. M. Atkinson and J. W. Williams 2337

Change detection techniques
D. Lu, P. Mausel, E. BrondÚzio and E. Moran 2365

Inversion of foliar biochemical parameters at various physiological stages and grain quality indicators of winter wheat with canopy reflectance
W. Huang, J. Wang, Z. Wang, Z. Jiang, L. Liu and J. Wang 2409

Contextual classification of Landsat TM images to forest inventory cover types
S. Magnussen, P. Boudewyn and M. Wulder 2421

Interannual vineyard crop variability in the Castilla-La Mancha region during the period 1991-1996 with Landsat Thematic Mapper images
S. Lanjeri, D. Segarra and J. Meliá 2441

Remote Sensing Letters

Atmospheric correction of remotely sensed data at a desert site with the aid of surface humidity data
A. Karnieli, A. Zangvil and G. Dall'Olmo 2459

Hydrocarbon Index - an algorithm for hyperspectral detection of hydrocarbons
F. Kühn, K. Oppermann and B. Hörig 2467

Brazil's 2001 energy crisis monitored from space
C. R. De Souza Filho, J. Zullo Jr and C. Elvidge 2475

NUMBER 13

Cover 2483

A spectral library for a semi-arid wetland and its application to studies of wetland degradation using hyperspectral and multispectral data
T. Schmid, M. Koch, J. Gumuzzio and P. M. Mather 2485

Seasonal change in the extent of inundation on floodplains detected by JERS-1 Synthetic Aperture Radar data
Y. Wang 2497

Using Thematic Mapper data for change detection and sustainable use of cultivated land: a case study in the Yellow River delta, China
G. X. Zhao, G. Lin and T. Warner 2509

Evapotranspiration estimation in the Yellow River Basin, China using integrated NDVI data
R. Sun, X. Gao, C.-M. Liu and X.-W. Li 2523

Remote sensing based estimation of evapotranspiration rates
E. Boegh and H. Soegaard 2535
Combining weather prediction and remote sensing data for the calculation of evapotranspiration rates: application to Denmark
E. Boegh, H. Soegaard, J. H. Christensen, C. B. Hasager, N. O. Jensen, N. W. Nielsen and M. S. Rasmussen 2553
Band selection for analysing wheat water status under field conditions using relative depth indices (RDI)
C.-J. Zhao, Q. Zhou, J. Wang and W.-J. Huang 2575
Skylab L-band microwave radiometer observations of soil moisture revisited
T. J. Jackson, A. Y. Hsu, A. Van De Griend and J. R. Eagleman 2585
Monitoring infiltration rates in semiarid soils using airborne hyperspectral technology
E. Ben-Dor, N. Goldshleger, O. Braun, B. Kindel, A. F. H. Goetz, D. Bonfil, N. Margalit, Y. Binaymini, A. Karnieli and M. Agassi 2607
Integrating imaging spectroscopy (445–2543 nm) and geographic information systems for post-disaster management: a case of hailstorm damage in Sydney
S. Bhaskaran, B. Datt, B. Forster, T. Neal and M. Brown 2625

Remote Sensing Letters
Estimating inter-annual crop area variation using multi-resolution satellite sensor images
F. Rembold and F. Maselli 2641
Thermal anomalies and well observations in Kamchatka
A. A. Tronin, O. A. Molchanov and P. F. Biagi 2649
Merging of IRS LISS III and Pan data—evaluation of various methods for a predominantly agricultural area
S. S. Ray 2657

NUMBER 14

Cover
R. Lanari, G. Zeni, M. Manunta, S. Guarino, P. Berardino and E. Sansosti 2665
Concept design of future intelligent Earth observing satellites
G. Zhou, O. Baysal, J. Kaye, S. Habib and C. Wang 2667
A hybrid approach to urban land use/cover mapping using Landsat 7 Enhanced Thematic Mapper Plus (ETM+) images
C. P. Lo and J. Choi 2687
Relationship between airborne multispectral image texture and aspen defoliation
L. M. Moskal and S. E. Franklin 2701
Use of metatruth image concept to assess forest change detection accuracy at pixel level
K. Nackaerts, K. Vaesen, I. Lizarraga, B. Muys and P. Coppin 2713
Modelling the reflectance anisotropy of Chihuahuan Desert grass–shrub transition canopy–soil complexes
M. J. Chopping, L. H. Su, A. Rango and C. Maxwell 2725
Reusing back-propagation artificial neural networks for land cover classification in tropical savannahs
L. P. C. Verbeke, F. M. B. Vancoillie and R. R. De Wulf 2747
Comparison between field measurements and airborne visible and infrared mapping spectrometry (AVIRIS and HyMap) of the Ronda peridotite massif (south-west Spain)
P. Launeau, J. Girardeau, C. Sotin and J. M. Tubia 2773
Two decades of Normalized Difference Vegetation Index changes in South America: identifying the imprint of global change
J. M. Paruelo, M. F. Garbulsky, J. P. Guerschman and E. G. Jobbágy 2793
Early cotton yield assessment by the use of the NOAA/AVHRR derived Vegetation Condition Index (VCI) in Greece
C. Domenikiotis, M. Spiliotopoulos, E. Tsiros and N. R. Dalezios 2807
Land cover classification in SE Asia using near and short wave infrared bands
H. P. Sato and R. Tateishi 2821
Photogrammetric exploitation of IKONOS imagery for mapping applications
C. V. Tao, Y. Hu and W. Jiang 2833

Remote Sensing Letters

An integrated SAR/GIS approach for investigating urban deformation phenomena: a case study of the city of Naples, Italy
R. Lanari, G. Zeni, M. Manunta, S. Guarino, P. Berardino and E. Sansosti 2855

A performance evaluation of a burned area object-based classification model when applied to topographically and non-topographically corrected TM imagery
G. H. Mitri and I. Z. Gitas 2863

NAO influence on NDVI trends in the Iberian peninsula (1982–2000)
S. M. Vicente-Serrano and A. Heredia-Laclaustra 2871

Comparison of principal component inversion with VI-empirical approach for LAI estimation using simulated reflectance data
S. Chaurasia and V. K. Dadhwal 2881

Derivation of pasture biomass in Mongolia from AVHRR-based vegetation health indices
F. Kogan, R. Stark, A. Gitelson, L. Jargalsaikhan, C. Dugrajav and S. Tsooj 2889

NUMBER 15

Cover. Generation of 3-D geoidal surface of the Bay of Bengal lithosphere and its tectonic implications
S. Rajesh and T. J. Majumdar 2897

Aerosol optical depth spatio-temporal characterization over the Canadian BOREAS domain
C. Bertrand and A. Royer 2903

Detecting and quantifying mountain permafrost creep from *in situ* inventory, space-borne radar interferometry and airborne digital photogrammetry
T. Strozzi, A. Kääb and R. Frauenfelder 2919

Monitoring snow-cover dynamics in Northern Fennoscandia with SPOT VEGETATION images
R. Dankers and S. M. de Jong 2933

Categorization of cold period weather types in Greece on the basis of the photointerpretation of NOAA/AVHRR imagery
C. Cartalis, N. Chrysoulakis, H. Feidas and N. Pitsitakis 2951

Integrating AVHRR satellite data and NOAA ground observations to predict surface air temperature: a statistical approach
E. N. Florio, S. R. Lele, Y. Chi Chang, R. Sterner and G. E. Glass 2979

Derivation of a threshold function for the Advanced Very High Resolution Radiometer 3.75 μm channel and its application in automatic cloud discrimination over snow/ice surfaces
X. Xiong, R. Storvold, K. Stamnes and D. Lubin 2995

Remote sensing and land cover area estimation
F. J. Gallego 3019

Quantifying the spatial properties of forest canopy gaps using LiDAR imagery and GIS
S. Koukoulas and G. A. Blackburn 3049

On the LAI of mixed soils–forests regions
M. Raffy and K. Soudani 3073

Supervised image classification by MLP and RBF neural networks with and without an exhaustively defined set of classes
G. M. Foody 3091

NUMBER 16

Cover. Early detection system of drought in East Asia using NDVI from NOAA/AVHRR data
X. Song, G. Saito, M. Kodama and H. Sawada 3105

Mapping Mediterranean scrub with satellite imagery: biomass estimation and spectral behaviour
T. Calvão and J. M. Palmeirim 3113

Relations between NDVI and tree productivity in the central Great Plains
J. Wang, P. M. Rich, K. P. Price and W. D. Kettle 3127

Estimation of interannual variation in productivity of global vegetation using NDVI data
Z. M. Chen, I. S. Babiker, Z. X. Chen, K. Komaki, M. A. A. Mohamed and K. Kato 3139

An AVHRR-based model of groundnut yields in the Peanut Basin of Senegal
A. Knudby 3161

Application of knowledge for automated land cover change monitoring
A. J. Comber, A. N. R. Law and J. R. Lishman 3177

Review article. Detecting coal fires using remote sensing techniques
J. Zhang, W. Wagner, A. Prakash, H. Mehl and S. Voigt 3193

Peat fires detected by the BIRD satellite
F. Siegert, B. Zhukov, D. Oertel, S. Limin, S. E. Page and J. O. Rieley 3221

Mapping fire scars in a southern African savannah using Landsat imagery
A. T. Hudak and B. H. Brockett 3231

Thermal inertia mapping over the Brahmaputra basin, India using NOAA-AVHRR data and its possible geological applications
D. S. Mitra and T. J. Majumdar 3245

The use of Earth observation and decision support systems in the restoration of open-cast nickel mines in Evia, central Greece
A. Ganas, J. Aerts, T. Astaras, J. De Vente, E. Frogoudakis, N. Lambrinos, C. Riskakis, D. Oikonomidis, A. Filippidis and A. Kassoli-Fournaraki 3261

Mixture density separation as a tool for high-quality interpretation of multi-source remote sensing data and related issues
A. Koltunov and E. Ben-Dor 3275

NUMBER 17

Cover 3301

European plant phenology and climate as seen in a 20-year AVHRR land-surface parameter dataset
R. Stöckli and P. L. Vidale 3303

Estimating winter wheat plant water content using red edge parameters
L. Liu, J. Wang, W. Huang, C. Zhao, B. Zhang and Q. Tong 3331

Remote sensing of the terrestrial environment using middle infrared radiation (3.0–5.0 μm)
D. S. Boyd and F. Petitcolin 3343

Identification of the spectral characteristics of British semi-natural upland vegetation using direct ordination: a case study from Dartmoor, UK
R. P. Armitage, M. Kent and R. E. Weaver 3369

Estimating burned area for Tropical Africa for the year 1990 with the NOAA-NASA Pathfinder AVHRR 8 km land dataset
J. A. Moreno Ruiz and M. Cantón Garbín 3389

Predicting algal bloom in the Techi reservoir using Landsat TM data
K.-W. Chang, Y. Shen and P.-C. Chen 3411

Automated delineation of coastline from polarimetric SAR imagery
Y. Yu and S. T. Acton 3423

Sea surface temperature GOES-8 estimation approach for the Brazilian coast
G. B. França and W. S. Carvalho 3439

Vegetation cover seasonal changes assessment from TM imagery in a semi-arid landscape
F. Camacho-de Coca, F. J. García-Haro, M. A. Gilabert and J. Meliá 3451

Analysing direct impacts of recreation activity on coastal sage scrub habitat with very high resolution multi-spectral imagery
E. R. Witztum and D. A. Stow 3477
Utilisation of contour criteria in micro-segmentation of SAR images
J.-M. Beaulieu 3497
Land cover discrimination potential of radar multitemporal series and optical multispectral images in a Mediterranean cultural landscape
G. Chust, D. Ducrot and J. Ll. Pretus 3513
Data fusion and multisource image classification
D. Amarsaikhan and T. Douglas 3529

Remote Sensing Letter
Integrating automatically processed SPOT HRV Pan imagery in a DEM-based procedure for channel network extraction
T. Svoray 3541

NUMBER 18

Cover. Declassified CORONA KH-4B satellite photography of remains from Rome's desert frontier
M. J. F. Fowler 3549
Detection of river/sea ice deformation using satellite interferometry: limits and potential
F. Vincent, D. Raucoules, T. Degroeve, G. Edwards and M. Abolfazl Mostafavi 3555
Land use classification of polarimetric SAR data by visual interpretation and comparison with an automatic procedure
A. C. van den Broek, A. J. E. Smith and A. Toet 3573
Semi-empirical calibration of the IEM backscattering model using radar images and moisture and roughness field measurements
N. Baghdadi, I. Gherboudj, M. Zribi, M. Sahebi, C. King and F. Bonn 3593
Continental scale hotspot observations of Australia at sub-degree angular resolution from POLDER
I. F. Grant, C. Heyraud and F.-M. Bréon 3625
Extrapolation of the aerosol reflectance from the near-infrared to the visible: the single-scattering epsilon vs multiple-scattering epsilon method
M. Wang 3637
An assessment of the effectiveness of atmospheric correction algorithms through the remote sensing of some reservoirs
D. G. Hadjimitsis, C. R. I. Clayton and V. S. Hope 3651
Technical Note. On masking land pixels in empirical orthogonal function analysis of sequences of sea surface images
G. Borzelli, A. Ciappa, R. Ligi and L. Pietranera 3675
Spatial variation in land cover and choice of spatial resolution for remote sensing
P. M. Atkinson and P. Aplin 3687
Satellite constellation with direct radio measurements for atmospheric studies: WATS mission case
G. Alberti, G. B. Amata and F. Amisano 3703
Single frequency processing of atmospheric radio occultations
M. de la Torre Juárez, G. A. Hajj, E. R. Kursinski, D. Kuang, A. J. Mannucci and L. J. Romans 3731
Rock unit discrimination on Landsat TM, SIR-C and Radarsat images using spectral and textural information
P. Dong and B. Leblon 3745
Inspecting MIVIS capability to retrieve chemical–mineralogical information: evaluation and analysis of VNIR–SWIR data acquired on a volcanic area
M. P. Bogliolo, S. Teggi, M. F. Buongiorno, S. Pugnaghi and S. Corradini 3769

NUMBER 19

Cover. Marine constituents detected by a SeaWiFS algorithm in the south-eastern Mediterranean
A. Karnieli and D. Figueras 3799

Basin-scale extrapolation of shipboard pCO_2 data by using satellite SST and Chl*a*
T. Ono, T. Saino, N. Kurita and K. Sasaki 3803

Validation of ERS-2 SAR offshore wind-speed maps in the North Sea
C. B. Hasager, E. Dellwik, M. Nielsen and B. R. Furevik 3817

Tracing the geometry of an active fault using remote sensing and digital elevation model: Ganos segment, North Anatolian Fault zone, Turkey
Ş. Kaya, O. Müftüoğlu and O. Tüysüz 3843

Is the Amik Basin (SE Turkey) a triple-junction area? Analyses of SPOT XS imagery and seismicity
S. Over, K. Ş. Kavak, O. Bellier and S. Özden 3857

A technique to estimate topsoil thickness in arid and semi-arid areas of north-eastern Jordan using synthetic aperture radar data
H. Al-Bilbisi, R. Tateishi and J. Tetuko S. S. 3873

Study of heavy metal contamination in river floodplains using the red-edge position in spectroscopic data
J. G. P. W. Clevers, L. Kooistra and E. A. L. Salas 3883

NDVI response to rainfall in different ecological zones in Jordan
J. T. Al-Bakri and A. S. Suleiman 3897

The relation between Normalized Difference Vegetation Index and vegetation moisture content at three grassland locations in Victoria, Australia
A. C. Dilley, S. Millie, D. M. O'Brien and M. Edwards 3913

Multi-year simulation of Mediterranean forest transpiration by the integration of NOAA-AVHRR and ancillary data
F. Maselli, M. Chiesi and M. Bindi 3929

A comparison of texture measures for the per-field classification of Mediterranean land cover
C. D. Lloyd, S. Berberoglu, P. J. Curran and P. M. Atkinson 3943

Technical Note. Response of ratio vegetation indices to foot rot-infected citrus trees
R. S. Fletcher, D. E. Escobar and M. Skaria 3967

Predictions of microwave attenuation through vegetation: a comparison with measurements
A. V. Bosisio and M. Dechambre 3973

Narrow band vegetation indices overcome the saturation problem in biomass estimation
O. Mutanga and A. K. Skidmore 3999

Land surface identification near Yakutsk in eastern Siberia using video images taken from a hedgehopping aircraft
R. Suzuki, T. Hiyama, J. Asanuma and T. Ohata 4015

Technical Note. DEM from IRS-1C PAN stereo coverages over Himalayan glaciated region—accuracy and its utility
I. M. Bahuguna, A. V. Kulkarni and S. Nayak 4029

A new algorithm for remotely sensed image texture classification and segmentation
Y.-W. Wang, Y.-F. Wang, Y. Xue and W. Gao 4043

Remote Sensing Letter

Masking turbid water in the southeastern Mediterranean Sea utilizing the SeaWiFS 510 nm spectral band
D. Figueras, A. Karnieli, A. Brenner and Y. J. Kaufman 4051

NUMBER 20

Cover 4061

Comparative study of the 1982–1983 and 1997–1998 El Niño events over different types of vegetation in South America
N. Dessay, H. Laurent, L. A. T. Machado, Y. E. Shimabukuro, G. T. Batista, A. Diedhiou and J. Ronchail 4063

Detection of land use/land cover changes for the northern part of the Nile delta (Burullus region), Egypt
Kh. M. Dewidar 4079

Efficiency and accuracy of per-field classification for operational crop mapping
A. J. W. De Wit and J. G. P. W. Clevers 4091

Crop yield estimation by satellite remote sensing
Cs. Ferencz, P. Bognár, J. Lichtenberger, D. Hamar, Gy. Tarcsai, G. Timár, G. Molnár, Sz. Pásztor, P. Steinbach, B. Székely, O. E. Ferencz and I. Ferencz-Árkos 4113

Short-term vegetation succession and erosion identified by airborne remote sensing of Westerschelde salt marshes, The Netherlands
A. G. Thomson, A. Huiskes, R. Cox, R. A. Wadsworth and L. A. Boorman 4151

Assessment of grassland degradation near Lake Qinghai, West China, using Landsat TM and *in situ* reflectance spectra data
Y. Liu, Y. Zha, J. Gao and S. Ni 4177

Discriminating sodium concentration in a mixed grass species environment of the Kruger National Park using field spectrometry
O. Mutanga, A. K. Skidmore and H. H. T. Prins 4191

Spectral and temporal linear mixing model for vegetation classification
R. Tateishi, Y. Shimazaki and P. D. Gunin 4203

The contribution of probability theory in assessing the efficiency of two frequently used vegetation indices
D. Vaiopoulos, G. A. Skianis and K. Nikolakopoulos 4219

NDVI from low altitude aircraft and composited NOAA AVHRR data for scaling Arctic ecosystem fluxes
A. S. Hope, K. R. Pence and D. A. Stow 4237

Measurement and comparison of Leaf Area Index estimators derived from satellite remote sensing techniques
R. R. Jensen and M. W. Binford 4251

Spectral feature analysis for assessment of water status and health level in coast live oak (*Quercus agrifolia*) leaves
R. Pu, L. Foschi and P. Gong 4267

A multiscale texture analysis procedure for improved forest stand classification
C. A. Coburn and A. C. B. Roberts 4287

Linking spatial patterns of bird and butterfly species richness with Landsat TM derived NDVI
K. C. Seto, E. Fleishman, J. P. Fay and C. J. Betrus 4309

Mapping soil moisture in the central Ebro river valley (northeast Spain) with Landsat and NOAA satellite imagery: a comparison with meteorological data
S. M. Vicente-Serrano, X. Pons-Fernández and J. M. Cuadrat-Prats 4325

A semi-distributed, physics-based hydrologic model using remotely sensed and Digital Terrain Elevation Data for semi-arid catchments
G. F. Biftu and T. Y. Gan 4351

Spectral analysis of soils from mafic/ultramafic rocks of Cerro Mantiqueira, southwest of Rio Grande do Sul, Brazil
D. L. Saldanha, M. C. Lima e Cunha and V. Haertel 4381

Spectral responses of pot-grown plants to displacement of soil oxygen
K. L. Smith, M. D. Steven and J. J. Colls 4395

Remote Sensing Letters

ENVISAT multisensor data for fire monitoring and impact assessment
S. Huang and F. Siegert 4411

Multitemporal analysis of land surface temperature using NOAA-AVHRR: preliminary relationships between climatic anomalies and forest fires
L. Manzo-Delgado, R. Aguirre-Gómez and R. Álvarez 4417

A comparison of fuzzy and neuro-fuzzy data fusion for flooded area mapping using SAR images
G. Amici, F. Dell'Acqua, P. Gamba and G. Pulina 4425

NUMBER 21

Cover 4431

Technical Note. Evidence of the coexistence of upstream and downstream solitary wavetrains in the real atmosphere
Q. Zheng, S. S. P. Shen, Y. Yuan, N. E. Huang, V. Klemas, X.-H. Yan, F. Shi, X. Zhang, Z. Zhao, X. Li and P. Clemente-Colón 4433

Shape and radiative properties of convective systems observed from infrared satellite images
D. A. Vila and L. A. T. Machado 4441

Sensitivity of near infrared total water vapour estimate to calibration errors
P. Chylek, W. B. Clodius, S. C. Bender, W. H. Atkins and L. K. Balick 4457

Cloud and precipitation classification for a depression system approaching the south Balkan Peninsula. A case study of 26 March 1998
A. I. Anthis and A. P. Cracknell 4471

Cloud classification using the textural features of Meteosat images
Z. Ameur, S. Ameur, A. Adane, H. Sauvageot and K. Bara 4491

Geometric cloud heights from Meteosat
G. G. Campbell and K. Holmlund 4505

Cloud detection in the Tropics—a suitable tool for climate–ecological studies in the high mountains of Ecuador
J. Bendix, R. Rollenbeck and W. E. Palacios 4521

Neural network estimation of air temperatures from AVHRR data
J.-D. Jang, A. A. Viau and F. Anctil 4541

A new method for medium-resolution sea ice analysis using weather-influence corrected Special Sensor Microwave/Imager 85 GHz data
S. Kern 4555

Observation of the Kuroshio intrusion region in the South China Sea from AVHRR data
C.-R. Ho, Q. Zheng, N.-J. Kuo, C.-H. Tsai and N. E. Huang 4583

Retrieving seawater turbidity from Landsat TM data by regressions and an artificial neural network
T. Y. Gan, O. A. Kalinga, K. Ohgushi and H. Araki 4593

A patch connectivity index and its change in relation to new wetland at the Yellow River Delta
T. X. Yue, B. Xu and J. Y. Liu 4617

A maximum entropy approach to satellite quantitative precipitation estimation (QPE)
F. J. Tapiador, C. Kidd, V. Levizzani and F. S. Marzano 4629

Identification and filtering of rainfall and ground radar echoes using textural features
B. Haddad, A. Adane, H. Sauvageot, L. Sadouki and R. Naili 4641

Rainfall estimation from infrared data using an improved version of the Auto-Estimator Technique
P. Boi, M. Marrocu and A. Giachetti 4657

Synergistic analysis and correlative study on remote sensing and chemical exploration data for oil–gas exploration
X. Song, F. Yang, H. Zhen and X. Li 4675

Fault trace parameters as a tool for analysing remotely sensed fault arrays: an example from the eastern Gulf of Corinth, Greece
P. Xypolias and I. K. Koukouvelas 4685

Detection of collapsed buildings caused by the 1999 Izmit, Turkey earthquake through digital analysis of post-event aerial photographs
M. Turker and B. T. San 4701

Geological applications of Landsat Enhanced Thematic Mapper (ETM) data and Geographic Information System (GIS): mapping and structural interpretation in south-west Iran, Zagros Structural Belt
S. A. Ali and S. Pirasteh 4715

Integration and analysis of airborne geophysical and ETM+ data for exploration of porphyry type deposits in the Central Iranian Volcanic Belt using fuzzy classification
H. Ranjbar and M. Honarmand 4729

Post-fire recovery of leaf area index in California chaparral: a remote sensing-chronosequence approach
C. E. McMichael, A. S. Hope, D. A. Roberts and M. R. Anaya 4743

An analysis of GOES and NOAA derived land surface temperatures estimated over a boreal forest
K.-S. Han, A. A. Viau and F. Anctil 4761
The use of AVHRR data to determine the concentration of visible and invisible tropospheric pollutants originating from a 1997 forest fire in Southeast Asia
M. Hashim, K. D. Kanniah, A. Ahmad, A. W. Rasib and A. L. Ibrahim 4781
Assessment from space of mangroves evolution in the Mekong Delta, in relation to extensive shrimp farming
P. H. S. Tong, Y. Auda, J. Populus, M. Aizpuru, A. Al Habshi and F. Blasco 4795
Associations between Woodland Caribou telemetry data and Landsat TM spectral reflectance
R. Bechtel, A. Sánchez-Azofeifa, B. Rivard, G. Hamilton, J. Martin and E. Dzus 4813

Remote Sensing Letters
A comparison of Multi-layer Perceptron and multilinear regression algorithms for the inversion of synthetic ocean colour spectra
S. Dransfeld, A. R. Tatnall, I. S. Robinson and C. D. Mobley 4829
Multi-sensor synergistic analysis of mesoscale oceanic features: Campos Basin, south-eastern Brazil
C. M. Bentz, J. A. Lorenzzetti and M. Kampel 4835
Previously trained neural networks as ensemble members: knowledge extraction and transfer
F. M. B. Van Coillie, L. P. C. Verbeke and R. R. De Wulf 4843

NUMBER 22

Cover. Predicting habitat quality for Great Tits (*Parus major*) with airborne laser scanning data
R. A. Hill, S. A. Hinsley, D. L. A. Gaveau and P. E. Bellamy 4851
The effect of savanna fires on SAR backscatter in northern Australia
C. H. Menges, R. E. Bartolo, D. Bell and G. J. E. Hill 4857
Identification of burnt areas in Mediterranean forest environments from ERS-2 SAR time series
M. Gimeno, J. San-Miguel-Ayanz and G. Schmuck 4873
Assessing the feasibility of a global model for multi-temporal burned area mapping using SPOT-VEGETATION data
J. M. N. Silva, J. F. C. L. Cadima, J. M. C. Pereira and J.-M. Grégoire 4889
Comparison of different speckle-reduction techniques in SAR images using wavelet transform
A. Vidal-Pantaleoni and D. Martí 4915
Discrimination potential of X-band polarimetric SAR data
N. Baghdadi, N. Holah, P. Dubois-Fernandez, L. Prévot, S. Hosford, A. Chanzy, X. Dupuis and M. Zribi 4933
Irrigated area determination by NOAA-Landsat upscaling techniques, Zayandeh River Basin, Isfahan, Iran
N. Toomanian, A. S. M. Gieske and M. Akbary 4945
Up-scaling methods based on variability-weighting and simulation for inferring spatial information across scales
G. Wang, G. Gertner and A. B. Anderson 4961
An automatic nonlinear correlation approach for processing of hyperspectral images
R. N. Ingram, A. S. Lewis and R. L. Tutwiler 4981
Technical Note. Crop stress detection using AVIRIS hyperspectral imagery and artificial neural networks
L. Estep, G. Terrie and B. Davis 4999
Principal component analysis applied to feature-oriented band ratios of hyperspectral data: a tool for vegetation studies
T. I. R. Almeida and C. R. De Souza Filho 5005
Aerosol mapping over land with imaging spectroscopy using spectral autocorrelation
S. Bojinski, D. Schläpfer, M. Schaepman, J. Keller and K. Itten 5025
Simulating Landsat ETM+ imagery using DAIS 7915 hyperspectral scanner data
T. Kavzoglu 5049
Sea level and surface current variability in the Gulf of St Lawrence from satellite altimetry
G. Han 5069
Bathymetric sidescan investigation of sedimentary features in the Tay Estuary, Scotland
C. R. Bates and D. J. Oakley 5089

Assessing the utility of spectral band operators to reduce the influence of total suspended solids on the relationship between chlorophyll concentration and the bidirectional reflectance factor in Amazon waters
E. M. L. M. Novo, W. P. Filho and J. M. Melack 5105
Parameterization of the chlorophyll *a*-specific *in vivo* light absorption coefficient covering estuarine, coastal and oceanic waters
P. A. Stæhr and S. Markager 5117
An approach for correcting inhomogeneous atmospheric effects in remote sensing images
M. Hashim, A. Watson and M. Thomas 5131
Integration of Corona and Landsat Thematic Mapper data for bedrock geological studies in the high Arctic
H. Lorenz 5143
True orthoimage generation in urban areas with very tall buildings
G. Zhou, W. Schickler, A. Thorpe, P. Song, W. Chen and C. Song 5163
DSM generation and evaluation from Quickbird stereo imagery with 3D physical modelling
T. Toutin 5181

NUMBER 23

Cover. Remote sensing based detection of defensive minefields
B. H. P. Maathuis and J. L. van Genderen 5195
A review of satellite and airborne sensors for remote sensing based detection of minefields and landmines
B. H. P. Maathuis and J. L. van Genderen 5201
Technical Note. Using NOAA and FY imagery to track plumes caused by the 2003 bombing of Baghdad
N. Chrysoulakis and C. Opie 5247
Equator crossing times for NOAA, ERS and EOS sun-synchronous satellites
A. Ignatov, I. Laszlo, E. D. Harrod, K. B. Kidwell and G. P. Goodrum 5255
A new method for cross-calibration of two satellite sensors
J.-J. Liu, Z. Li, Y.-L. Qiao, Y.-J. Liu and Y.-X. Zhang 5267
Performance of a spatio-temporal error model for raster datasets under complex error patterns
Y. Carmel and D. J. Dean 5283
Comparison of MODIS broadband albedo over an agricultural site with ground measurements and values derived from Earth observation data at a range of spatial scales
M. Disney, P. Lewis, G. Thackrah, T. Quaife and M. Barnsley 5297
Macro-texture mapping from satellite images by morphological granulometries: application to vegetation density mapping in arid and semi-arid areas
A. Kemmouche, C. Mering, B. Sansal and Y. Dewolf 5319
Sensitivity of hyperclustering and labelling land cover classes to Landsat image acquisition date
M. A. Wulder, S. E. Franklin and J. C. White 5337
Application of spectral mixture analysis to Amazonian land-use and land-cover classification
D. Lu, M. Batistella, E. Moran and P. Mausel 5345
Remote sensing capabilities to estimate pasture production in France
C. Di Bella, R. Faivre, F. Ruget, B. Seguin, M. Guérif, B. Combal, M. Weiss and C. Rebella 5359
Early cotton production assessment in Greece based on a combination of the drought Vegetation Condition Index (VCI) and the Bhalme and Mooley Drought Index (BMDI)
C. Domenikiotis, M. Spiliotopoulos, E. Tsiros and N. R. Dalezios 5373
Application of Meteosat derived meteorological information for crop yield predictions in Europe
R. A. Roebeling, E. van Putten, G. Genovese and A. Rosema 5389
The MERIS terrestrial chlorophyll index
J. Dash and P. J. Curran 5403
Effect of senescent leaves on NDVI-based estimates of fAPAR: experimental and modelling evidences
C. M. Di Bella, J. M. Paruelo, J. E. Becerra, C. Bacour and F. Baret 5415
Seasonal, topographic and burn frequency effects on biophysical/spectral reflectance relationships in tallgrass prairie
D. G. Goodin, J. Gao and J. M. S. Hutchinson 5429
Biomass estimations and carbon stock calculations in the oil palm plantations of African derived savannas using IKONOS data
P. S. Thenkabail, N. Stucky, B. W. Griscom, M. S. Ashton, J. Diels, B. van der Meer and E. Enclona 5447

Fraction images in multitemporal change detection
V. Haertel, Y. E. Shimabukuro and R. Almeida-Filho 5473
Spatially adaptive multi-resolution multispectral image fusion
J. H. Park and M. G. Kang 5491
Satellite remote sensing of groundwater: quantitative modelling and uncertainty reduction using 6S atmospheric simulations
A. Ghulam, Q. Qin, L. Zhu and P. Abdrahman 5509
Some aspects of spatial aliasing in satellite altimetry
G. Chen and Y. Chen 5525
Erratum 5537

NUMBER 24

Cover. Monitoring biomass burning in the Brazilian Amazônia
R. Almeida-Filho and Y. E. Shimabukuro 5537
NOAA/AVHRR satellite detection of Siberian silkmoth outbreaks in eastern Siberia
V. I. Kharuk, K. J. Ranson, A. G. Kozuhovskaya, Y. P. Kondakov and I. A. Pestunov 5543
Detection of initial damage in Norway spruce canopies using hyperspectral airborne data
P. K. Entcheva Campbell, B. N. Rock, M. E. Martin, C. D. Neefus, J. R. Irons, E. M. Middleton and J. Albrechtova 5557
Estimation and comparison of acid detergent lignin and acetyl bromide lignin in fallen leaves using near-infrared spectroscopy
T. Takahashi, T. Fujii and Y. Yasuoka 5585
Retrieval of forest biophysical variables by inverting a 3-D radiative transfer model and using high and very high resolution imagery
F. Gascon, J.-P. Gastellu-Etchegorry, M.-J. Lefevre-Fonollosa and E. Dufrene 5601
Issues related to delineation of forest boundaries on Landsat Thematic Mapper winter images
U. Peterson, K. Püssa and J. Liira 5617
Technical note. A spectral-angle methodology for mapping net forest cover change in northeastern China
J. G. Masek and G. Sun 5629
Using AVIRIS data and multiple-masking techniques to map urban forest tree species
Q. Xiao, S. L. Ustin and E. G. McPherson 5637
Integration of object-based and pixel-based classification for mapping mangroves with IKONOS imagery
L. Wang, W. P. Sousa and P. Gong 5655
Trends in vegetation activity and their climatic correlates: China 1982 to 1998
Jingfeng Xiao and A. Moody 5669
Land-use change analysis in Yulin prefecture, northwestern China using remote sensing and GIS
Z. Li, X. Li, Y. Wang, A. Ma and J. Wang 5691
Snow surface albedo estimation using terrestrial photography
J. G. Corripio 5705
Mapping snow cover in the pan-Arctic zone, using multi-year (1998–2001) images from optical VEGETATION sensor
X. Xiao, Q. Zhang, S. Boles, M. Rawlins and B. Moore III 5731
Remote sensing and GIS for detecting changes in the aquatic vegetation of a rehabilitated lake
K. Valta-Hulkkonen, A. Kanninen and P. Pellikka 5745
GIS based surface hydrological modelling in identification of groundwater recharge zones
A. K. Saraf, P. R. Choudhury, B. Roy, B. Sarma, S. Vijay and S. Choudhury 5759

Index of Authors 5771